

Spatial assignment of test sample

December 14, 2016

Contents

Input	1
Isotope values of test sample	1
Output	1
Model	1
Map of best fitted reference sample	2
Best fitted reference entries	3
Testing robustness of assignment: Wilcoxon signed rank test	3
P-values for the k nearest neighbours in Wilcoxon Test	4
Goodness of fit of test sample:	4

Input

Website Identifier: 340

Isotope values of test sample

Table 1: Isotope values of test sample


13C/12C	15N/14N	18O/16O	2H/1H	34S/32S
-21.3	7.3	17.4	-35	12.7

Output

Model

```
##
## Call:
## train.kknn(formula = fmla, data = ivory.train, kmax = 15, distance = 2, kernel = knl)
##
## Type of response variable: nominal
## Minimal misclassification: 0.3765867
## Best kernel: triangular
## Best k: 15
Classifier: country_code
```


Map of best fitted reference sample



Best fitted reference sample:

- Site: South Africa, Ithala
- Country: ZA
- Region: Southern Africa
- CITES: Appendix II
- Lat: -27.51
- Lon: 31.29

Assignment of test sample to nearest neighbours



Best fitted reference entries

Table 2: Details of best fitted reference entry (row 1) and other fitted entries within best classifier

lon	lat	location	13C/12C	15N/14N	18O/16O	2H/1H	34S/32S
31.29	-27.51	South Africa, Ithala	-21.4	7.2	17.0	-37.8	11.1
31.29	-27.51	South Africa, Ithala	-21.4	7.1	18.3	-39.9	11.8
32.29	-28.01	South Africa, Hluhluwe	-21.2	8.7	18.2	-36.3	12.8
31.29	-27.51	South Africa, Ithala	-21.4	7.1	16.9	-41.0	10.8
31.67	-25.23	South Africa, Kr ger S d-Ost, Grenze Mos	-21.1	7.8	17.3	-42.8	13.8
31.29	-27.51	South Africa, Ithala	-21.2	7.0	17.7	-42.2	11.1
31.29	-27.51	South Africa, Ithala	-22.1	6.5	17.9	-37.8	10.7
NA	NA	South Africa, HiP	-21.7	7.6	18.9	-39.1	13.7
32.29	-28.01	South Africa, Hluhluwe	-21.0	7.9	18.5	-41.0	13.9
30.63	-29.81	South Africa, Mpumalanga Parks	-21.0	8.3	16.4	-40.4	13.9

Country of prediction: ZA

Testing robustness of assignment: Wilcoxon signed rank test

If $p\text{-value} > 0.05$, the test concludes that the isotope signature of the test sample is similar to the respective nearest neighbour reference sample.

P-values for the k nearest neighbours in Wilcoxon Test

“0.88048, 0.71483, 0.21718, 0.17179, 0.00911, 0.00589, 0.00589, 0.00268, 0.00093, 0.00052”

Goodness of fit of test sample:

- good fit: if $p > 0.05$ for at least two tested nearest neighbour reference samples;
- moderate fit: if $p > 0.05$ for at least one tested nearest neighbour reference samples;
- uncertain: if $p > 0.05$ for none of the tested nearest neighbour reference samples.

Assumption: At least two nearest reference samples are available.

Overall goodness of fit of test sample: “**good fit**”