Spatial assignment of test sample

November 24, 2016

Contents

Input	
Isotope	values of test sample
Output	
Model .	
Map of h	best fitted reference sample
Best fitte	ed reference entries
Testing 1	robustness of assignment: Wilcoxon signed rank test
P-v	values for the k nearest neighbours in Wilcoxon Test
Go	odness of fit of test sample:

Input

Website Identifier: 029-B

Isotope values of test sample

Table 1: Isotope values of test sample


13C/12C	$15\mathrm{N}/14\mathrm{N}$	18O/16O	$2\mathrm{H}/1\mathrm{H}$	34S/32S
-22.8	7.2	18.1	-36	11.4

Output

Model

```
##
## Call:
## train.kknn(formula = fmla, data = ivory.train, kmax = 15, distance = 2, kernel = knl)
##
## Type of response variable: nominal
## Minimal misclassification: 0.3765867
## Best kernel: triangular
## Best k: 15
Classifier: country_code
```

Map of best fitted reference sample



Best fitted reference sample:


• Site: South Africa, Ithala

• Country: ZA

Region: Southern AfricaCITES: Appendix II

Lat: -27.51Lon: 31.29

Assignment of test sample to nearest neighbours



Best fitted reference entries

Table 2: Details of best fitted reference entry (row 1) and other fitted entries within best classifier

lon	lat	location	$13\mathrm{C}/12\mathrm{C}$	$15\mathrm{N}/14\mathrm{N}$	18O/16O	$2\mathrm{H}/1\mathrm{H}$	34S/32S
31.29	-27.51	South Africa, Ithala	-22.1	6.5	17.9	-37.8	10.7
31.29	-27.51	South Africa, Ithala	-21.4	7.1	18.3	-39.9	11.8
31.29	-27.51	South Africa, Ithala	-21.4	7.2	17.0	-37.8	11.1
31.29	-27.51	South Africa, Ithala	-21.8	6.6	18.1	-42.4	10.0

Country of prediction: ZA

Testing robustness of assignment: Wilcoxon signed rank test

If p-value > 0.05, the test concludes that the isotope signature of the test sample is similar to the respective nearest neighbour reference sample.

P-values for the k nearest neighbours in Wilcoxon Test

"0.015684, 0.004337, 0.001906, 0.000087"

Goodness of fit of test sample:

• good fit: if p > 0.05 for at least two tested nearest neighbour reference samples;

- moderate fit: if p>0.05 for at least one tested nearest neighbour reference samples; uncertain: if p>0.05 for none of the tested nearest neighbour reference samples.

Assumption: At least two nearest reference samples are available.

Overall goodness of fit of test sample: "uncertain"